

[PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

SUMMARY: [NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

fr.be2.monapplication

Class connexion

java.lang.Object
 android.content.Context
 android.content.ContextWrapper
 android.view.ContextThemeWrapper
 android.app.Activity
 androidx.core.app.ComponentActivity
 androidx.fragment.app.FragmentActivity
 androidx.appcompat.app.AppCompatActivity
 fr.be2.monapplication.connexion

All Implemented Interfaces:

android.content.ComponentCallbacks, android.content.ComponentCallbacks2,
android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory,
android.view.LayoutInflater.Factory2, android.view.View.OnCreateContextMenuListener,
android.view.Window.Callback,
androidx.appcompat.app.ActionBarDrawerToggle.DelegateProvider,
androidx.appcompat.app.AppCompatActivityCallback,
androidx.core.app.ActivityCompat.OnRequestPermissionsResultCallback,
androidx.core.app.ActivityCompat.RequestPermissionsRequestCodeValidator,
androidx.core.app.TaskStackBuilder.SupportParentable,
androidx.core.view.KeyEventDispatcher.Component, androidx.lifecycle.LifecycleOwner,
androidx.lifecycle.ViewModelStoreOwner

public class **connexion**
extends androidx.appcompat.app.AppCompatActivity

Nested Class Summary

**Nested classes/interfaces inherited from
class androidx.core.app.ComponentActivity**

androidx.core.app.ComponentActivity.ExtraData

Field Summary

Fields inherited from class android.app.Activity

DEFAULT_KEYS_DIALER, DEFAULT_KEYS_DISABLE, DEFAULT_KEYS_SEARCH_GLOBAL,
DEFAULT_KEYS_SEARCH_LOCAL, DEFAULT_KEYS_SHORTCUT, FOCUSED_STATE_SET,
RESULT_CANCELED, RESULT_FIRST_USER, RESULT_OK

Fields inherited from class android.content.Context

ACCESSIBILITY_SERVICE, ACCOUNT_SERVICE, ACTIVITY_SERVICE, ALARM_SERVICE, APP_OPS_SERVICE, APPWIDGET_SERVICE, AUDIO_SERVICE, BATTERY_SERVICE, BIND_ABOVE_CLIENT, BIND_ADJUST_WITH_ACTIVITY, BIND_ALLOW_OOM_MANAGEMENT, BIND_AUTO_CREATE, BIND_DEBUG_UNBIND, BIND_EXTERNAL_SERVICE, BIND_IMPORTANT, BIND_INCLUDE_CAPABILITIES, BIND_NOT_FOREGROUND, BIND_NOT_PERCEPTIBLE, BIND_WAIVE_PRIORITY, BIOMETRIC_SERVICE, BLOB_STORE_SERVICE, BLUETOOTH_SERVICE, CAMERA_SERVICE, CAPTIONING_SERVICE, CARRIER_CONFIG_SERVICE, CLIPBOARD_SERVICE, COMPANION_DEVICE_SERVICE, CONNECTIVITY_DIAGNOSTICS_SERVICE, CONNECTIVITY_SERVICE, CONSUMER_IR_SERVICE, CONTEXT_IGNORE_SECURITY, CONTEXT_INCLUDE_CODE, CONTEXT_RESTRICTED, CROSS_PROFILE_APPS_SERVICE, DEVICE_POLICY_SERVICE, DISPLAY_SERVICE, DOWNLOAD_SERVICE, DROPBOX_SERVICE, EUICC_SERVICE, FILE_INTEGRITY_SERVICE, FINGERPRINT_SERVICE, HARDWARE_PROPERTIES_SERVICE, INPUT_METHOD_SERVICE, INPUT_SERVICE, IPSEC_SERVICE, JOB_SCHEDULER_SERVICE, KEYGUARD_SERVICE, LAUNCHER_APPS_SERVICE, LAYOUT_INFLATER_SERVICE, LOCATION_SERVICE, MEDIA_PROJECTION_SERVICE, MEDIA_ROUTER_SERVICE, MEDIA_SESSION_SERVICE, MIDI_SERVICE, MODE_APPEND, MODE_ENABLE_WRITE_AHEAD_LOGGING, MODE_MULTI_PROCESS, MODE_NO_LOCALIZED_COLLATORS, MODE_PRIVATE, MODE_WORLD_READABLE, MODE_WORLD_WRITEABLE, NETWORK_STATS_SERVICE, NFC_SERVICE, NOTIFICATION_SERVICE, NSD_SERVICE, POWER_SERVICE, PRINT_SERVICE, RECEIVER_VISIBLE_TO_INSTANT_APPS, RESTRICTIONS_SERVICE, ROLE_SERVICE, SEARCH_SERVICE, SENSOR_SERVICE, SHORTCUT_SERVICE, STORAGE_SERVICE, STORAGE_STATS_SERVICE, SYSTEM_HEALTH_SERVICE, TELECOM_SERVICE, TELEPHONY_IMS_SERVICE, TELEPHONY_SERVICE, TELEPHONY_SUBSCRIPTION_SERVICE, TEXT_CLASSIFICATION_SERVICE, TEXT_SERVICES_MANAGER_SERVICE, TV_INPUT_SERVICE, UI_MODE_SERVICE, USAGE_STATS_SERVICE, USB_SERVICE, USER_SERVICE, VIBRATOR_SERVICE, VPN_MANAGEMENT_SERVICE, WALLPAPER_SERVICE, WIFI_AWARE_SERVICE, WIFI_P2P_SERVICE, WIFI_RTT_RANGING_SERVICE, WIFI_SERVICE, WINDOW_SERVICE

Fields inherited from interface android.content.ComponentCallbacks2

TRIM_MEMORY_BACKGROUND, TRIM_MEMORY_COMPLETE, TRIM_MEMORY_MODERATE, TRIM_MEMORY_RUNNING_CRITICAL, TRIM_MEMORY_RUNNING_LOW, TRIM_MEMORY_RUNNING_MODERATE, TRIM_MEMORY_UI_HIDDEN

Constructor Summary

Constructors

Constructor and Description

`connexion()`

Method Summary

All Methods **Instance Methods** **Concrete Methods**

Modifier and Type	Method and Description
protected void	<code>onCreate</code> (android.os.Bundle savedInstanceState)
void	<code>unclique</code> (android.view.View view)

Methods inherited from class androidx.appcompat.app.AppCompatActivity

addContentView, closeOptionsMenu, dispatchKeyEvent, findViewById, getDelegate, getDrawerToggleDelegate, getMenuInflater, getResources, getSupportActionBar, getSupportParentActivityIntent, invalidateOptionsMenu, onConfigurationChanged, onContentChanged, onCreateSupportNavigateUpTaskStack, onDestroy, onKeyDown, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostCreate, onPostResume, onPrepareSupportNavigateUpTaskStack, onSaveInstanceState, onStart, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, onWindowStartingSupportActionMode, openOptionsMenu, setContentView, setContentView, setContentView, setSupportActionBar, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, setTheme, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

Methods inherited from class androidx.fragment.app.FragmentActivity

dump, getLastCustomNonConfigurationInstance, getLifecycle, getSupportFragmentManager, getSupportLoaderManager, getViewModelStore, onActivityResult, onAttachFragment, onBackPressed, onCreatePanelMenu, onCreateView, onCreateView, onLowMemory, onMultiWindowModeChanged, onNewIntent, onPause, onPictureInPictureModeChanged, onPrepareOptionsPanel, onPreparePanel, onRequestPermissionsResult, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback, setExitSharedElementCallback, startActivityForResult, startActivityForResult, startActivityFromFragment, startActivityFromFragment, startActivitySenderForResult, startActivitySenderForResult, startActivitySenderFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition, validateRequestPermissionsrequestCode

Methods inherited from class androidx.core.app.ComponentActivity

dispatchKeyShortcutEvent, getExtraData, putExtraData, superDispatchKeyEvent

Methods inherited from class android.app.Activity

attachBaseContext, closeContextMenu, createPendingResult, dismissDialog, dismissKeyboardShortcutsHelper, dispatchGenericMotionEvent, dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent, enterPictureInPictureMode, enterPictureInPictureMode, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMaxNumPictureInPictureActions, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isActivityTransitionRunning, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive,

isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onGetDirectActions, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped, onMultiWindowModeChanged, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPerformDirectAction, onPictureInPictureModeChanged, onPictureInPictureRequested, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistContent, onProvideAssistData, onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTopResumedActivityChanged, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowFocusChanged, onWindowStartingActionMode, onWindowStartingActionMode, openContextMenu, overridePendingTransition, postponeEnterTransition, recreate, registerActivityLifecycleCallbacks, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts, requestVisibleBehind, requestWindowFeature, requireViewById, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setInheritShowWhenLocked, setIntent, setLocusContext, setMediaController, setPictureInPictureParams, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setShowWhenLocked, setTaskDescription, setTitle, setTitle, setTitleColor, setTranslucent, setTurnScreenOn, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderFromChild, startIntentSenderFromChild, startLocalVoiceInteraction, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity, startPostponedEnterTransition, startSearch, stopLocalVoiceInteraction, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterActivityLifecycleCallbacks, unregisterForContextMenu

Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, getAssets, getTheme, setTheme

Methods inherited from class android.content.ContextWrapper

bindIsolatedService, bindService, bindService, bindServiceAsUser, checkCallingOrSelfPermission, checkCallingOrSelfPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper, createAttributionContext, createConfigurationContext, createContextForSplit, createDeviceProtectedStorageContext, createDisplayContext, createPackageContext, createWindowContext, databaseList, deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getAttributionTag, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDataDir, getDir, getDisplay, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFilePath, getMainExecutor, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getOpPackageName, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom, moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, registerReceiver, registerReceiver, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startForegroundService, startInstrumentation, startService, stopService, unbindService, unregisterReceiver, updateServiceGroup

Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, sendBroadcastWithMultiplePermissions, unregisterComponentCallbacks

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface android.view.Window.Callback

onPointerCaptureChanged

Constructor Detail

connexion

```
public connexion()
```

Method Detail

onCreate

```
protected void onCreate(android.os.Bundle savedInstanceState)
```

Overrides:

onCreate in class androidx.appcompat.app.AppCompatActivity

unclique

```
public void unclique(android.view.View view)
```

[PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

SUMMARY: [NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

fr.be2.monapplication

Class fraisauforfait

java.lang.Object
 android.content.Context
 android.content.ContextWrapper
 android.view.ContextThemeWrapper
 android.app.Activity
 androidx.core.app.ComponentActivity
 androidx.fragment.app.FragmentActivity
 androidx.appcompat.app.AppCompatActivity
 fr.be2.monapplication.menuprincipal
 fr.be2.monapplication.fraisauforfait

All Implemented Interfaces:

android.content.ComponentCallbacks, android.content.ComponentCallbacks2,
android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory,
android.view.LayoutInflater.Factory2, android.view.View.OnCreateContextMenuListener,
android.view.Window.Callback,
androidx.appcompat.app.ActionBarDrawerToggle.DelegateProvider,
androidx.appcompat.app.AppCompatActivityCallback,
androidx.core.app.ActivityCompat.OnRequestPermissionsResultCallback,
androidx.core.app.ActivityCompat.RequestPermissionsRequestCodeValidator,
androidx.core.app.TaskStackBuilder.SupportParentable,
androidx.core.view.KeyEventDispatcher.Component, androidx.lifecycle.LifecycleOwner,
androidx.lifecycle.ViewModelStoreOwner

```
public class fraisauforfait
extends menuprincipal
```

Nested Class Summary

**Nested classes/interfaces inherited from
class androidx.core.app.ComponentActivity**

androidx.core.app.ComponentActivity.ExtraData

Field Summary

Fields

Modifier and Type

(package private) int

(package private) [SQLHelper](#)

Field and Description

[aaaa](#)

[bdd](#)

(package private) android.widget.Button	btnAjouter
(package private) java.util.Calendar	calendrier
private java.lang.Object	fraisauforfait
(package private) int	jj
(package private) android.widget.EditText	MaDate
(package private) int	mm
(package private) java.lang.Double[]	montantfrais
(package private) android.app.DatePickerDialog	picker
(package private) android.widget.EditText	quantite
(package private) android.widget.Spinner	typefrais
(package private) java.lang.String[]	Typefrais

Fields inherited from class android.app.Activity

DEFAULT_KEYS_DIALER, DEFAULT_KEYS_DISABLE, DEFAULT_KEYS_SEARCH_GLOBAL, DEFAULT_KEYS_SEARCH_LOCAL, DEFAULT_KEYS_SHORTCUT, FOCUSED_STATE_SET, RESULT_CANCELED, RESULT_FIRST_USER, RESULT_OK

Fields inherited from class android.content.Context

ACCESSIBILITY_SERVICE, ACCOUNT_SERVICE, ACTIVITY_SERVICE, ALARM_SERVICE, APP_OPS_SERVICE, APPWIDGET_SERVICE, AUDIO_SERVICE, BATTERY_SERVICE, BIND_ABOVE_CLIENT, BIND_ADJUST_WITH_ACTIVITY, BIND_ALLOW_OOM_MANAGEMENT, BIND_AUTO_CREATE, BIND_DEBUG_UNBIND, BIND_EXTERNAL_SERVICE, BIND_IMPORTANT, BIND_INCLUDE_CAPABILITIES, BIND_NOT_FOREGROUND, BIND_NOT_PERCEPTIBLE, BIND_WAIVE_PRIORITY, BIOMETRIC_SERVICE, BLOB_STORE_SERVICE, BLUETOOTH_SERVICE, CAMERA_SERVICE, CAPTIONING_SERVICE, CARRIER_CONFIG_SERVICE, CLIPBOARD_SERVICE, COMPANION_DEVICE_SERVICE, CONNECTIVITY_DIAGNOSTICS_SERVICE, CONNECTIVITY_SERVICE, CONSUMER_IR_SERVICE, CONTEXT_IGNORE_SECURITY, CONTEXT_INCLUDE_CODE, CONTEXT_RESTRICTED, CROSS_PROFILE_APPS_SERVICE, DEVICE_POLICY_SERVICE, DISPLAY_SERVICE, DOWNLOAD_SERVICE, DROPBOX_SERVICE, EUICC_SERVICE, FILE_INTEGRITY_SERVICE, FINGERPRINT_SERVICE, HARDWARE_PROPERTIES_SERVICE, INPUT_METHOD_SERVICE, INPUT_SERVICE, IPSEC_SERVICE, JOB_SCHEDULER_SERVICE, KEYGUARD_SERVICE, LAUNCHER_APPS_SERVICE, LAYOUT_INFLATER_SERVICE, LOCATION_SERVICE, MEDIA_PROJECTION_SERVICE, MEDIA_ROUTER_SERVICE, MEDIA_SESSION_SERVICE, MIDI_SERVICE, MODE_APPEND, MODE_ENABLE_WRITE_AHEAD_LOGGING, MODE_MULTI_PROCESS, MODE_NO_LOCALIZED_COLLATORS, MODE_PRIVATE, MODE_WORLD_READABLE, MODE_WORLD_WRITEABLE, NETWORK_STATS_SERVICE, NFC_SERVICE, NOTIFICATION_SERVICE, NSD_SERVICE, POWER_SERVICE, PRINT_SERVICE, RECEIVER_VISIBLE_TO_INSTANT_APPS, RESTRICTIONS_SERVICE, ROLE_SERVICE, SEARCH_SERVICE, SENSOR_SERVICE, SHORTCUT_SERVICE, STORAGE_SERVICE, STORAGE_STATS_SERVICE, SYSTEM_HEALTH_SERVICE, TELECOM_SERVICE, TELEPHONY_IMS_SERVICE, TELEPHONY_SERVICE, TELEPHONY_SUBSCRIPTION_SERVICE, TEXT_CLASSIFICATION_SERVICE, TEXT_SERVICES_MANAGER_SERVICE, TV_INPUT_SERVICE, UI_MODE_SERVICE, USAGE_STATS_SERVICE, USB_SERVICE, USER_SERVICE, VIBRATOR_SERVICE, VPN_MANAGEMENT_SERVICE, WALLPAPER_SERVICE, WIFI_AWARE_SERVICE, WIFI_P2P_SERVICE, WIFI_RTT_RANGING_SERVICE, WIFI_SERVICE, WINDOW_SERVICE

Fields inherited from interface android.content.ComponentCallbacks2

TRIM_MEMORY_BACKGROUND, TRIM_MEMORY_COMPLETE, TRIM_MEMORY_MODERATE,
TRIM_MEMORY_RUNNING_CRITICAL, TRIM_MEMORY_RUNNING_LOW,
TRIM_MEMORY_RUNNING_MODERATE, TRIM_MEMORY_UI_HIDDEN

Constructor Summary

Constructors

Constructor and Description

[fraisauforfait\(\)](#)

Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type	Method and Description
private void	afficherMessage()
void	afficherMessage (java.lang.String titre, java.lang.String message)
void	clique_btn6 (android.view.View view)
void	clique_retour (android.view.View view)
private void	init()
void	MonClick (android.view.View v)
protected void	onCreate (android.os.Bundle savedInstanceState)
void	onPointerCaptureChanged (boolean hasCapture)
void	ShowCal (android.view.View v)

Methods inherited from class fr.be2.monapplication.menuprincipal

[unclique](#)

Methods inherited from class androidx.appcompat.app.AppCompatActivity

addContentView, closeOptionsMenu, dispatchKeyEvent, findViewById, getDelegate, getDrawerToggleDelegate, getMenuInflater, getResources, getSupportActionBar, getSupportParentActivityIntent, invalidateOptionsMenu, onConfigurationChanged, onContentChanged, onCreateSupportNavigateUpTaskStack, onDestroy, onKeyDown, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostCreate, onPostResume, onPrepareSupportNavigateUpTaskStack, onSaveInstanceState, onStart, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, onWindowStartingSupportActionMode, openOptionsMenu, setContentView, setContentView, setContentView,

setSupportActionBar, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, setTheme, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

Methods inherited from class androidx.fragment.app.FragmentActivity

dump, getLastCustomNonConfigurationInstance, getLifecycle, getSupportFragmentManager, getSupportLoaderManager, getViewModelStore, onActivityResult, onAttachFragment, onBackPressed, onCreatePanelMenu, onCreateView, onCreateView, onLowMemory, onMultiWindowModeChanged, onNewIntent, onPause, onPictureInPictureModeChanged, onPrepareOptionsPanel, onPreparePanel, onRequestPermissionsResult, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback, setExitSharedElementCallback, startActivityForResult, startActivityForResult, startActivityFromFragment, startActivityFromFragment, startActivitySenderForResult, startActivitySenderForResult, startActivitySenderFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition, validateRequestPermissionsrequestCode

Methods inherited from class androidx.core.app.ComponentActivity

dispatchKeyShortcutEvent, getExtraData, putExtraData, superDispatchKeyEvent

Methods inherited from class android.app.Activity

attachBaseContext, closeContextMenu, createPendingResult, dismissDialog, dismissKeyboardShortcutsHelper, dispatchGenericMotionEvent, dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent, enterPictureInPictureMode, enterPictureInPictureMode, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMaxNumPictureInPictureActions, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isActivityTransitionRunning, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onGetDirectActions, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped,

onMultiWindowModeChanged, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPerformDirectAction, onPictureInPictureModeChanged, onPictureInPictureRequested, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistContent, onProvideAssistData, onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTopResumedActivityChanged, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowFocusChanged, onWindowStartingActionMode, onWindowStartingActionMode, openContextMenu, overridePendingTransition, postponeEnterTransition, recreate, registerActivityLifecycleCallbacks, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts, requestVisibleBehind, requestWindowFeature, requireViewById, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setInheritShowWhenLocked, setIntent, setLocusContext, setMediaController, setPictureInPictureParams, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setShowWhenLocked, setTaskDescription, setTitle, setTitle, setTitleColor, setTranslucent, setTurnScreenOn, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderFromChild, startIntentSenderFromChild, startLocalVoiceInteraction, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity, startPostponedEnterTransition, startSearch, stopLocalVoiceInteraction, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterActivityLifecycleCallbacks, unregisterForContextMenu

Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, getAssets, getTheme, setTheme

Methods inherited from class android.content.ContextWrapper

bindIsolatedService, bindService, bindService, bindServiceAsUser, checkCallingOrSelfPermission, checkCallingOrSelfPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper, createAttributionContext, createConfigurationContext, createContextForSplit, createDeviceProtectedStorageContext, createDisplayContext, createPackageContext, createWindowContext, databaseList, deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo,

getAttributionTag, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir,
 getContentResolver, getDatabasePath, getDataDir, getDir, getDisplay,
 getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir,
 getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFilePath, getFileStreamPath,
 getMainExecutor, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs,
 getOpPackageName, getPackageCodePath, getPackageManager, getPackageName,
 getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper,
 getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth,
 grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom,
 moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase,
 openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver,
 registerReceiver, registerReceiver, removeStickyBroadcast,
 removeStickyBroadcastAsUser, revokeUriPermission, revokeUriPermission,
 sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser,
 sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast,
 sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast,
 sendStickyBroadcastAsUser, sendStickyOrderedBroadcast,
 sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper,
 startForegroundService, startInstrumentation, startService, stopService,
 unbindService, unregisterReceiver, updateServiceGroup

Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService,
 getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes,
 obtainStyledAttributes, registerComponentCallbacks,
 sendBroadcastWithMultiplePermissions, unregisterComponentCallbacks

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait,
 wait, wait

Field Detail

bdd

SQLHelper bdd

typefrais

android.widget.Spinner typefrais

quantite

android.widget.EditText quantite

btnAjouter

```
android.widget.Button btnAjouter
```

MaDate

```
android.widget.EditText MaDate
```

picker

```
android.app.DatePickerDialog picker
```

calendrier

```
java.util.Calendar calendrier
```

aaaa

```
int aaaa
```

mm

```
int mm
```

jj

```
int jj
```

montantfrais

```
java.lang.Double[] montantfrais
```

Typefrais

```
java.lang.String[] Typefrais
```

fraisauforfait

```
private java.lang.Object fraisauforfait
```

Constructor Detail

fraisauforfait

```
public fraisauforfait()
```

Method Detail**onCreate**

```
protected void onCreate(android.os.Bundle savedInstanceState)
```

Overrides:

```
onCreate in class menuprincipal
```

init

```
private void init()
```

ShowCal

```
public void ShowCal(android.view.View v)
```

clique_btn6

```
public void clique_btn6(android.view.View view)
```

afficherMessage

```
public void afficherMessage(java.lang.String titre,  
                             java.lang.String message)
```

MonClick

```
public void MonClick(android.view.View v)
```

clique_retour

```
public void clique_retour(android.view.View view)
```

onPointerCaptureChanged

```
public void onPointerCaptureChanged(boolean hasCapture)
```

afficherMessage

```
private void afficherMessage()
```

[PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

[SUMMARY: NESTED | FIELD | CONSTR | METHOD](#) [DETAIL: FIELD | CONSTR | METHOD](#)

fr.be2.monapplication

Class fraishorsforfait

java.lang.Object
 android.content.Context
 android.content.ContextWrapper
 android.view.ContextThemeWrapper
 android.app.Activity
 androidx.core.app.ComponentActivity
 androidx.fragment.app.FragmentActivity
 androidx.appcompat.app.AppCompatActivity
 fr.be2.monapplication.fraishorsforfait

All Implemented Interfaces:

android.content.ComponentCallbacks, android.content.ComponentCallbacks2,
android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory,
android.view.LayoutInflater.Factory2, android.view.View.OnCreateContextMenuListener,
android.view.Window.Callback,
androidx.appcompat.app.ActionBarDrawerToggle.DelegateProvider,
androidx.appcompat.app.AppCompatActivityCallback,
androidx.core.app.ActivityCompat.OnRequestPermissionsResultCallback,
androidx.core.app.ActivityCompat.RequestPermissionsRequestCodeValidator,
androidx.core.app.TaskStackBuilder.SupportParentable,
androidx.core.view.KeyEventDispatcher.Component, androidx.lifecycle.LifecycleOwner,
androidx.lifecycle.ViewModelStoreOwner

public class **fraishorsforfait**
extends androidx.appcompat.app.AppCompatActivity

Nested Class Summary

**Nested classes/interfaces inherited from
class androidx.core.app.ComponentActivity**

androidx.core.app.ComponentActivity.ExtraData

Field Summary

Fields

Modifier and Type	Field and Description
(package private) SQLHelper	bdd
(package private) android.widget.EditText	date
(package private) android.widget.EditText	libelle

```
(package private) android.widget.EditText montant
```

Fields inherited from class android.app.Activity

DEFAULT_KEYS_DIALER, DEFAULT_KEYS_DISABLE, DEFAULT_KEYS_SEARCH_GLOBAL, DEFAULT_KEYS_SEARCH_LOCAL, DEFAULT_KEYS_SHORTCUT, FOCUSED_STATE_SET, RESULT_CANCELED, RESULT_FIRST_USER, RESULT_OK

Fields inherited from class android.content.Context

ACCESSIBILITY_SERVICE, ACCOUNT_SERVICE, ACTIVITY_SERVICE, ALARM_SERVICE, APP_OPS_SERVICE, APPWIDGET_SERVICE, AUDIO_SERVICE, BATTERY_SERVICE, BIND_ABOVE_CLIENT, BIND_ADJUST_WITH_ACTIVITY, BIND_ALLOW_OOM_MANAGEMENT, BIND_AUTO_CREATE, BIND_DEBUG_UNBIND, BIND_EXTERNAL_SERVICE, BIND_IMPORTANT, BIND_INCLUDE_CAPABILITIES, BIND_NOT_FOREGROUND, BIND_NOT_PERCEPTIBLE, BIND_WAIVE_PRIORITY, BIOMETRIC_SERVICE, BLOB_STORE_SERVICE, BLUETOOTH_SERVICE, CAMERA_SERVICE, CAPTIONING_SERVICE, CARRIER_CONFIG_SERVICE, CLIPBOARD_SERVICE, COMPANION_DEVICE_SERVICE, CONNECTIVITY_DIAGNOSTICS_SERVICE, CONNECTIVITY_SERVICE, CONSUMER_IR_SERVICE, CONTEXT_IGNORE_SECURITY, CONTEXT_INCLUDE_CODE, CONTEXT_RESTRICTED, CROSS_PROFILE_APPS_SERVICE, DEVICE_POLICY_SERVICE, DISPLAY_SERVICE, DOWNLOAD_SERVICE, DROPBOX_SERVICE, EUICC_SERVICE, FILE_INTEGRITY_SERVICE, FINGERPRINT_SERVICE, HARDWARE_PROPERTIES_SERVICE, INPUT_METHOD_SERVICE, INPUT_SERVICE, IPSEC_SERVICE, JOB_SCHEDULER_SERVICE, KEYGUARD_SERVICE, LAUNCHER_APPS_SERVICE, LAYOUT_INFLATER_SERVICE, LOCATION_SERVICE, MEDIA_PROJECTION_SERVICE, MEDIA_ROUTER_SERVICE, MEDIA_SESSION_SERVICE, MIDI_SERVICE, MODE_APPEND, MODE_ENABLE_WRITE_AHEAD_LOGGING, MODE_MULTI_PROCESS, MODE_NO_LOCALIZED_COLLATORS, MODE_PRIVATE, MODE_WORLD_READABLE, MODE_WORLD_WRITEABLE, NETWORK_STATS_SERVICE, NFC_SERVICE, NOTIFICATION_SERVICE, NSD_SERVICE, POWER_SERVICE, PRINT_SERVICE, RECEIVER_VISIBLE_TO_INSTANT_APPS, RESTRICTIONS_SERVICE, ROLE_SERVICE, SEARCH_SERVICE, SENSOR_SERVICE, SHORTCUT_SERVICE, STORAGE_SERVICE, STORAGE_STATS_SERVICE, SYSTEM_HEALTH_SERVICE, TELECOM_SERVICE, TELEPHONY_IMS_SERVICE, TELEPHONY_SERVICE, TELEPHONY_SUBSCRIPTION_SERVICE, TEXT_CLASSIFICATION_SERVICE, TEXT_SERVICES_MANAGER_SERVICE, TV_INPUT_SERVICE, UI_MODE_SERVICE, USAGE_STATS_SERVICE, USB_SERVICE, USER_SERVICE, VIBRATOR_SERVICE, VPN_MANAGEMENT_SERVICE, WALLPAPER_SERVICE, WIFI_AWARE_SERVICE, WIFI_P2P_SERVICE, WIFI_RTT_RANGING_SERVICE, WIFI_SERVICE, WINDOW_SERVICE

Fields inherited from interface android.content.ComponentCallbacks2

TRIM_MEMORY_BACKGROUND, TRIM_MEMORY_COMPLETE, TRIM_MEMORY_MODERATE, TRIM_MEMORY_RUNNING_CRITICAL, TRIM_MEMORY_RUNNING_LOW, TRIM_MEMORY_RUNNING_MODERATE, TRIM_MEMORY_UI_HIDDEN

Constructor Summary

Constructors

Constructor and Description

`fraishorsforfait()`

Method Summary

All Methods **Instance Methods** **Concrete Methods**

Modifier and Type	Method and Description
void	<code>clique_retour</code> (android.view.View view)
protected void	<code>onCreate</code> (android.os.Bundle savedInstanceState)
void	<code>save_DATA</code> (android.view.View view)

Methods inherited from class androidx.appcompat.app.AppCompatActivity

[`addContentView`](#), [`closeOptionsMenu`](#), [`dispatchKeyEvent`](#), [`findViewById`](#), [`getDelegate`](#), [`getDrawerToggleDelegate`](#), [`getMenuInflater`](#), [`getResources`](#), [`getSupportActionBar`](#), [`getSupportParentActivityIntent`](#), [`invalidateOptionsMenu`](#), [`onConfigurationChanged`](#), [`onContentChanged`](#), [`onCreateSupportNavigateUpTaskStack`](#), [`onDestroy`](#), [`onKeyDown`](#), [`onMenuItemSelected`](#), [`onMenuOpened`](#), [`onPanelClosed`](#), [`onPostCreate`](#), [`onPostResume`](#), [`onPrepareSupportNavigateUpTaskStack`](#), [`onSaveInstanceState`](#), [`onStart`](#), [`onStop`](#), [`onSupportActionModeFinished`](#), [`onSupportActionModeStarted`](#), [`onSupportContentChanged`](#), [`onSupportNavigateUp`](#), [`onTitleChanged`](#), [`onWindowStartingSupportActionMode`](#), [`openOptionsMenu`](#), [`setContentView`](#), [`setContentView`](#), [`setContentView`](#), [`setSupportActionBar`](#), [`setSupportProgress`](#), [`setSupportProgressBarIndeterminate`](#), [`setSupportProgressBarIndeterminateVisibility`](#), [`setSupportProgressBarVisibility`](#), [`setTheme`](#), [`startSupportActionMode`](#), [`supportInvalidateOptionsMenu`](#), [`supportNavigateUpTo`](#), [`supportRequestWindowFeature`](#), [`supportShouldUpRecreateTask`](#)

Methods inherited from class androidx.fragment.app.FragmentActivity

[`dump`](#), [`getLastCustomNonConfigurationInstance`](#), [`getLifecycle`](#), [`getSupportFragmentManager`](#), [`getSupportLoaderManager`](#), [`getViewModelStore`](#), [`onActivityResult`](#), [`onAttachFragment`](#), [`onBackPressed`](#), [`onCreatePanelMenu`](#), [`onCreateView`](#), [`onCreateView`](#), [`onLowMemory`](#), [`onMultiWindowModeChanged`](#), [`onNewIntent`](#), [`onPause`](#), [`onPictureInPictureModeChanged`](#), [`onPrepareOptionsPanel`](#), [`onPreparePanel`](#), [`onRequestPermissionsResult`](#), [`onResume`](#), [`onResumeFragments`](#), [`onRetainCustomNonConfigurationInstance`](#), [`onRetainNonConfigurationInstance`](#), [`onStateNotSaved`](#), [`setEnterSharedElementCallback`](#), [`setExitSharedElementCallback`](#), [`startActivityForResult`](#), [`startActivityForResult`](#), [`startActivityFromFragment`](#), [`startActivityFromFragment`](#), [`startIntentSenderForResult`](#), [`startIntentSenderForResult`](#), [`startIntentSenderFromFragment`](#), [`supportFinishAfterTransition`](#), [`supportPostponeEnterTransition`](#), [`supportStartPostponedEnterTransition`](#), [`validateRequestPermissionsRequestCode`](#)

Methods inherited from class androidx.core.app.ComponentActivity

[`dispatchKeyShortcutEvent`](#), [`getExtraData`](#), [`putExtraData`](#), [`superDispatchKeyEvent`](#)

Methods inherited from class android.app.Activity

[`attachBaseContext`](#), [`closeContextMenu`](#), [`createPendingResult`](#), [`dismissDialog`](#), [`dismissKeyboardShortcutsHelper`](#), [`dispatchGenericMotionEvent`](#), [`dispatchPopulateAccessibilityEvent`](#), [`dispatchTouchEvent`](#), [`dispatchTrackballEvent`](#), [`enterPictureInPictureMode`](#), [`enterPictureInPictureMode`](#), [`finish`](#), [`finishActivity`](#),

finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMaxNumPictureInPictureActions, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isActivityTransitionRunning, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onGetDirectActions, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped, onMultiWindowModeChanged, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPerformDirectAction, onPictureInPictureModeChanged, onPictureInPictureRequested, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistContent, onProvideAssistData, onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTopResumedActivityChanged, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowFocusChanged, onWindowStartingActionMode, onWindowStartingActionMode, openContextMenu, overridePendingTransition, postponeEnterTransition, recreate, registerActivityLifecycleCallbacks, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts, requestVisibleBehind, requestWindowFeature, requireViewById, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setInheritShowWhenLocked, setIntent, setLocusContext, setMediaController, setPictureInPictureParams, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setShowWhenLocked, setTaskDescription, setTitle, setTitle, setTitleColor, setTranslucent, setTurnScreenOn, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderFromChild, startIntentSenderFromChild, startLocalVoiceInteraction, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity,

startPostponedEnterTransition, startSearch, stopLocalVoiceInteraction, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterActivityLifecycleCallbacks, unregisterForContextMenu

Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, getAssets, getTheme, setTheme

Methods inherited from class android.content.ContextWrapper

bindIsolatedService, bindService, bindService, bindServiceAsUser, checkCallingOrSelfPermission, checkCallingOrSelfUriPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper, createAttributionContext, createConfigurationContext, createContextForSplit, createDeviceProtectedStorageContext, createDisplayContext, createPackageContext, createWindowContext, databaseList, deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfUriPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getAttributionTag, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDataDir, getDir, getDisplay, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFilePath, getMainExecutor, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getOpPackageName, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom, moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, registerReceiver, registerReceiver, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startForegroundService, startInstrumentation, startService, stopService, unbindService, unregisterReceiver, updateServiceGroup

Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, sendBroadcastWithMultiplePermissions, unregisterComponentCallbacks

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface android.view.Window.Callback

onPointerCaptureChanged

Field Detail

bdd

SQLHelper bdd

libelle

android.widget.EditText libelle

montant

android.widget.EditText montant

date

android.widget.EditText date

Constructor Detail

fraishorsforfait

public fraishorsforfait()

Method Detail

onCreate

protected void onCreate(android.os.Bundle savedInstanceState)

Overrides:

onCreate in class androidx.appcompat.app.AppCompatActivity

save_DATA

public void save_DATA(android.view.View view)

clique_retour

```
public void clique_retour(android.view.View view)
```

[PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)[SUMMARY: NESTED | FIELD | CONSTR | METHOD](#) [DETAIL: FIELD | CONSTR | METHOD](#)

fr.be2.monapplication

Class menuprincipal

java.lang.Object
 android.content.Context
 android.content.ContextWrapper
 android.view.ContextThemeWrapper
 android.app.Activity
 androidx.core.app.ComponentActivity
 androidx.fragment.app.FragmentActivity
 androidx.appcompat.app.AppCompatActivity
 fr.be2.monapplication.menuprincipal

All Implemented Interfaces:

android.content.ComponentCallbacks, android.content.ComponentCallbacks2,
android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory,
android.view.LayoutInflater.Factory2, android.view.View.OnCreateContextMenuListener,
android.view.Window.Callback,
androidx.appcompat.app.ActionBarDrawerToggle.DelegateProvider,
androidx.appcompat.app.AppCompatActivityCallback,
androidx.core.app.ActivityCompat.OnRequestPermissionsResultCallback,
androidx.core.app.ActivityCompat.RequestPermissionsRequestCodeValidator,
androidx.core.app.TaskStackBuilder.SupportParentable,
androidx.core.view.KeyEventDispatcher.Component, androidx.lifecycle.LifecycleOwner,
androidx.lifecycle.ViewModelStoreOwner

Direct Known Subclasses:

[fraisauforfait](#)

public class **menuprincipal**
extends androidx.appcompat.app.AppCompatActivity

Nested Class Summary

**Nested classes/interfaces inherited from
class androidx.core.app.ComponentActivity**

androidx.core.app.ComponentActivity.ExtraData

Field Summary

Fields

Modifier and Type	Field and Description
private int	message


```
private java.lang.Object String
private int titre
```

Fields inherited from class android.app.Activity

DEFAULT_KEYS_DIALER, DEFAULT_KEYS_DISABLE, DEFAULT_KEYS_SEARCH_GLOBAL, DEFAULT_KEYS_SEARCH_LOCAL, DEFAULT_KEYS_SHORTCUT, FOCUSED_STATE_SET, RESULT_CANCELED, RESULT_FIRST_USER, RESULT_OK

Fields inherited from class android.content.Context

ACCESSIBILITY_SERVICE, ACCOUNT_SERVICE, ACTIVITY_SERVICE, ALARM_SERVICE, APP_OPS_SERVICE, APPWIDGET_SERVICE, AUDIO_SERVICE, BATTERY_SERVICE, BIND_ABOVE_CLIENT, BIND_ADJUST_WITH_ACTIVITY, BIND_ALLOW_OOM_MANAGEMENT, BIND_AUTO_CREATE, BIND_DEBUG_UNBIND, BIND_EXTERNAL_SERVICE, BIND_IMPORTANT, BIND_INCLUDE_CAPABILITIES, BIND_NOT_FOREGROUND, BIND_NOT_PERCEPTIBLE, BIND_WAIVE_PRIORITY, BIOMETRIC_SERVICE, BLOB_STORE_SERVICE, BLUETOOTH_SERVICE, CAMERA_SERVICE, CAPTIONING_SERVICE, CARRIER_CONFIG_SERVICE, CLIPBOARD_SERVICE, COMPANION_DEVICE_SERVICE, CONNECTIVITY_DIAGNOSTICS_SERVICE, CONNECTIVITY_SERVICE, CONSUMER_IR_SERVICE, CONTEXT_IGNORE_SECURITY, CONTEXT_INCLUDE_CODE, CONTEXT_RESTRICTED, CROSS_PROFILE_APPS_SERVICE, DEVICE_POLICY_SERVICE, DISPLAY_SERVICE, DOWNLOAD_SERVICE, DROPBOX_SERVICE, EUICC_SERVICE, FILE_INTEGRITY_SERVICE, FINGERPRINT_SERVICE, HARDWARE_PROPERTIES_SERVICE, INPUT_METHOD_SERVICE, INPUT_SERVICE, IPSEC_SERVICE, JOB_SCHEDULER_SERVICE, KEYGUARD_SERVICE, LAUNCHER_APPS_SERVICE, LAYOUT_INFLATER_SERVICE, LOCATION_SERVICE, MEDIA_PROJECTION_SERVICE, MEDIA_ROUTER_SERVICE, MEDIA_SESSION_SERVICE, MIDI_SERVICE, MODE_APPEND, MODE_ENABLE_WRITE_AHEAD_LOGGING, MODE_MULTI_PROCESS, MODE_NO_LOCALIZED_COLLATORS, MODE_PRIVATE, MODE_WORLD_READABLE, MODE_WORLD_WRITEABLE, NETWORK_STATS_SERVICE, NFC_SERVICE, NOTIFICATION_SERVICE, NSD_SERVICE, POWER_SERVICE, PRINT_SERVICE, RECEIVER_VISIBLE_TO_INSTANT_APPS, RESTRICTIONS_SERVICE, ROLE_SERVICE, SEARCH_SERVICE, SENSOR_SERVICE, SHORTCUT_SERVICE, STORAGE_SERVICE, STORAGE_STATS_SERVICE, SYSTEM_HEALTH_SERVICE, TELECOM_SERVICE, TELEPHONY_IMS_SERVICE, TELEPHONY_SERVICE, TELEPHONY_SUBSCRIPTION_SERVICE, TEXT_CLASSIFICATION_SERVICE, TEXT_SERVICES_MANAGER_SERVICE, TV_INPUT_SERVICE, UI_MODE_SERVICE, USAGE_STATS_SERVICE, USB_SERVICE, USER_SERVICE, VIBRATOR_SERVICE, VPN_MANAGEMENT_SERVICE, WALLPAPER_SERVICE, WIFI_AWARE_SERVICE, WIFI_P2P_SERVICE, WIFI_RTT_RANGING_SERVICE, WIFI_SERVICE, WINDOW_SERVICE

Fields inherited from interface android.content.ComponentCallbacks2

TRIM_MEMORY_BACKGROUND, TRIM_MEMORY_COMPLETE, TRIM_MEMORY_MODERATE, TRIM_MEMORY_RUNNING_CRITICAL, TRIM_MEMORY_RUNNING_LOW, TRIM_MEMORY_RUNNING_MODERATE, TRIM_MEMORY_UI_HIDDEN

Constructor Summary

Constructors

Constructor and Description

menuprincipal()

Method Summary

All Methods **Instance Methods** **Concrete Methods**

Modifier and Type	Method and Description
protected void	onCreate (android.os.Bundle savedInstanceState)
void	unclique (android.view.View view) fonction permettant d'accéder à la page souhaitée en fonction du bouton

Methods inherited from class androidx.appcompat.app.AppCompatActivity

addContentView, closeOptionsMenu, dispatchKeyEvent, findViewById, getDelegate, getDrawerToggleDelegate, getMenuInflater, getResources, getSupportActionBar, getSupportParentActivityIntent, invalidateOptionsMenu, onConfigurationChanged, onContentChanged, onCreateSupportNavigateUpTaskStack, onDestroy, onKeyDown, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostCreate, onPostResume, onPrepareSupportNavigateUpTaskStack, onSaveInstanceState, onStart, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, onWindowStartingSupportActionMode, openOptionsMenu, setContentView, setContentView, setContentView, setSupportActionBar, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, setTheme, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

Methods inherited from class androidx.fragment.app.FragmentActivity

dump, getLastCustomNonConfigurationInstance, getLifecycle, getSupportFragmentManager, getSupportLoaderManager, getViewModelStore, onActivityResult, onAttachFragment, onBackPressed, onCreatePanelMenu, onCreateView, onCreateView, onLowMemory, onMultiWindowModeChanged, onNewIntent, onPause, onPictureInPictureModeChanged, onPrepareOptionsPanel, onPreparePanel, onRequestPermissionsResult, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback, setExitSharedElementCallback, startActivityForResult, startActivityForResult, startActivityFromFragment, startActivityFromFragment, startActivitySenderForResult, startActivitySenderForResult, startActivitySenderFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition, validateRequestPermissionsrequestCode

Methods inherited from class androidx.core.app.ComponentActivity

dispatchKeyShortcutEvent, getExtraData, putExtraData, superDispatchKeyEvent

Methods inherited from class android.app.Activity

attachBaseContext, closeContextMenu, createPendingResult, dismissDialog, dismissKeyboardShortcutsHelper, dispatchGenericMotionEvent,

dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent, enterPictureInPictureMode, enterPictureInPictureMode, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMaxNumPictureInPictureActions, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isActivityTransitionRunning, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onGetDirectActions, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped, onMultiWindowModeChanged, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPerformDirectAction, onPictureInPictureModeChanged, onPictureInPictureRequested, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistContent, onProvideAssistData, onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTopResumedActivityChanged, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowFocusChanged, onWindowStartingActionMode, onWindowStartingActionMode, openContextMenu, overridePendingTransition, postponeEnterTransition, recreate, registerActivityLifecycleCallbacks, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts, requestVisibleBehind, requestWindowFeature, requireViewById, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setInheritShowWhenLocked, setIntent, setLocusContext, setMediaController, setPictureInPictureParams, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setShowWhenLocked, setTaskDescription, setTitle, setTitle, setTitleColor, setTranslucent, setTurnScreenOn, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderFromChild, startIntentSenderFromChild,

startLocalVoiceInteraction, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity, startPostponedEnterTransition, startSearch, stopLocalVoiceInteraction, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterActivityLifecycleCallbacks, unregisterForContextMenu

Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, getAssets, getTheme, setTheme

Methods inherited from class android.content.ContextWrapper

bindIsolatedService, bindService, bindService, bindServiceAsUser, checkCallingOrSelfPermission, checkCallingOrSelfPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper, createAttributionContext, createConfigurationContext, createContextForSplit, createDeviceProtectedStorageContext, createDisplayContext, createPackageContext, createWindowContext, databaseList, deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getAttributionTag, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDataDir, getDir, getDisplay, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFilePath, getMainExecutor, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getPackageName, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom, moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, registerReceiver, registerReceiver, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startForegroundService, startInstrumentation, startService, stopService, unbindService, unregisterReceiver, updateServiceGroup

Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, sendBroadcastWithMultiplePermissions, unregisterComponentCallbacks

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface android.view.Window.Callback

onPointerCaptureChanged

Field Detail

titre

private int titre

message

private int message

String

private java.lang.Object String

Constructor Detail

menuprincipal

public menuprincipal()

Method Detail

onCreate

protected void onCreate(android.os.Bundle savedInstanceState)

Overrides:

onCreate in class androidx.appcompat.app.AppCompatActivity

unclique

public void unclique(android.view.View view)

fonction permettant d'accéder à la page souhaitée en fonction du bouton

[PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

SUMMARY: [NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

fr.be2.monapplication

Class parametre

java.lang.Object
 android.content.Context
 android.content.ContextWrapper
 android.view.ContextThemeWrapper
 android.app.Activity
 androidx.core.app.ComponentActivity
 androidx.fragment.app.FragmentActivity
 androidx.appcompat.app.AppCompatActivity
 fr.be2.monapplication.parametre

All Implemented Interfaces:

android.content.ComponentCallbacks, android.content.ComponentCallbacks2,
android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory,
android.view.LayoutInflater.Factory2, android.view.View.OnCreateContextMenuListener,
android.view.Window.Callback,
androidx.appcompat.app.ActionBarDrawerToggle.DelegateProvider,
androidx.appcompat.app.AppCompatActivityCallback,
androidx.core.app.ActivityCompat.OnRequestPermissionsResultCallback,
androidx.core.app.ActivityCompat.RequestPermissionsRequestCodeValidator,
androidx.core.app.TaskStackBuilder.SupportParentable,
androidx.core.view.KeyEventDispatcher.Component, androidx.lifecycle.LifecycleOwner,
androidx.lifecycle.ViewModelStoreOwner

public class **parametre**
extends androidx.appcompat.app.AppCompatActivity

Nested Class Summary

**Nested classes/interfaces inherited from
class androidx.core.app.ComponentActivity**

androidx.core.app.ComponentActivity.ExtraData

Field Summary

Fields inherited from class android.app.Activity

DEFAULT_KEYS_DIALER, DEFAULT_KEYS_DISABLE, DEFAULT_KEYS_SEARCH_GLOBAL,
DEFAULT_KEYS_SEARCH_LOCAL, DEFAULT_KEYS_SHORTCUT, FOCUSED_STATE_SET,
RESULT_CANCELED, RESULT_FIRST_USER, RESULT_OK

Fields inherited from class android.content.Context

ACCESSIBILITY_SERVICE, ACCOUNT_SERVICE, ACTIVITY_SERVICE, ALARM_SERVICE, APP_OPS_SERVICE, APPWIDGET_SERVICE, AUDIO_SERVICE, BATTERY_SERVICE, BIND_ABOVE_CLIENT, BIND_ADJUST_WITH_ACTIVITY, BIND_ALLOW_OOM_MANAGEMENT, BIND_AUTO_CREATE, BIND_DEBUG_UNBIND, BIND_EXTERNAL_SERVICE, BIND_IMPORTANT, BIND_INCLUDE_CAPABILITIES, BIND_NOT_FOREGROUND, BIND_NOT_PERCEPTIBLE, BIND_WAIVE_PRIORITY, BIOMETRIC_SERVICE, BLOB_STORE_SERVICE, BLUETOOTH_SERVICE, CAMERA_SERVICE, CAPTIONING_SERVICE, CARRIER_CONFIG_SERVICE, CLIPBOARD_SERVICE, COMPANION_DEVICE_SERVICE, CONNECTIVITY_DIAGNOSTICS_SERVICE, CONNECTIVITY_SERVICE, CONSUMER_IR_SERVICE, CONTEXT_IGNORE_SECURITY, CONTEXT_INCLUDE_CODE, CONTEXT_RESTRICTED, CROSS_PROFILE_APPS_SERVICE, DEVICE_POLICY_SERVICE, DISPLAY_SERVICE, DOWNLOAD_SERVICE, DROPBOX_SERVICE, EUICC_SERVICE, FILE_INTEGRITY_SERVICE, FINGERPRINT_SERVICE, HARDWARE_PROPERTIES_SERVICE, INPUT_METHOD_SERVICE, INPUT_SERVICE, IPSEC_SERVICE, JOB_SCHEDULER_SERVICE, KEYGUARD_SERVICE, LAUNCHER_APPS_SERVICE, LAYOUT_INFLATER_SERVICE, LOCATION_SERVICE, MEDIA_PROJECTION_SERVICE, MEDIA_ROUTER_SERVICE, MEDIA_SESSION_SERVICE, MIDI_SERVICE, MODE_APPEND, MODE_ENABLE_WRITE_AHEAD_LOGGING, MODE_MULTI_PROCESS, MODE_NO_LOCALIZED_COLLATORS, MODE_PRIVATE, MODE_WORLD_READABLE, MODE_WORLD_WRITEABLE, NETWORK_STATS_SERVICE, NFC_SERVICE, NOTIFICATION_SERVICE, NSD_SERVICE, POWER_SERVICE, PRINT_SERVICE, RECEIVER_VISIBLE_TO_INSTANT_APPS, RESTRICTIONS_SERVICE, ROLE_SERVICE, SEARCH_SERVICE, SENSOR_SERVICE, SHORTCUT_SERVICE, STORAGE_SERVICE, STORAGE_STATS_SERVICE, SYSTEM_HEALTH_SERVICE, TELECOM_SERVICE, TELEPHONY_IMS_SERVICE, TELEPHONY_SERVICE, TELEPHONY_SUBSCRIPTION_SERVICE, TEXT_CLASSIFICATION_SERVICE, TEXT_SERVICES_MANAGER_SERVICE, TV_INPUT_SERVICE, UI_MODE_SERVICE, USAGE_STATS_SERVICE, USB_SERVICE, USER_SERVICE, VIBRATOR_SERVICE, VPN_MANAGEMENT_SERVICE, WALLPAPER_SERVICE, WIFI_AWARE_SERVICE, WIFI_P2P_SERVICE, WIFI_RTT_RANGING_SERVICE, WIFI_SERVICE, WINDOW_SERVICE

Fields inherited from interface android.content.ComponentCallbacks2

TRIM_MEMORY_BACKGROUND, TRIM_MEMORY_COMPLETE, TRIM_MEMORY_MODERATE, TRIM_MEMORY_RUNNING_CRITICAL, TRIM_MEMORY_RUNNING_LOW, TRIM_MEMORY_RUNNING_MODERATE, TRIM_MEMORY_UI_HIDDEN

Constructor Summary

Constructors

Constructor and Description

`parametre()`

Method Summary

All Methods **Instance Methods** **Concrete Methods**

Modifier and Type

Method and Description

void `clique_retour`(android.view.View view)

protected void `onCreate`(android.os.Bundle savedInstanceState)

Methods inherited from class androidx.appcompat.app.AppCompatActivity

addContentView, closeOptionsMenu, dispatchKeyEvent, findViewById, getDelegate, getDrawerToggleDelegate, getMenuInflater, getResources, getSupportActionBar, getSupportParentActivityIntent, invalidateOptionsMenu, onConfigurationChanged, onContentChanged, onCreateSupportNavigateUpTaskStack, onDestroy, onKeyDown, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostCreate, onPostResume, onPrepareSupportNavigateUpTaskStack, onSaveInstanceState, onStart, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, onWindowStartingSupportActionMode, openOptionsMenu, setContentView, setContentView, setContentView, setSupportActionBar, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, setTheme, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

Methods inherited from class androidx.fragment.app.FragmentActivity

dump, getLastCustomNonConfigurationInstance, getLifecycle, getSupportFragmentManager, getSupportLoaderManager, getViewModelStore, onActivityResult, onAttachFragment, onBackPressed, onCreatePanelMenu, onCreateView, onCreateView, onLowMemory, onMultiWindowModeChanged, onNewIntent, onPause, onPictureInPictureModeChanged, onPrepareOptionsPanel, onPreparePanel, onRequestPermissionsResult, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback, setExitSharedElementCallback, startActivityForResult, startActivityForResult, startActivityFromFragment, startActivityFromFragment, startIntentSenderForResult, startIntentSenderForResult, startIntentSenderFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition, validateRequestPermissionsrequestCode

Methods inherited from class androidx.core.app.ComponentActivity

dispatchKeyShortcutEvent, getExtraData, putExtraData, superDispatchKeyEvent

Methods inherited from class android.app.Activity

attachBaseContext, closeContextMenu, createPendingResult, dismissDialog, dismissKeyboardShortcutsHelper, dispatchGenericMotionEvent, dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent, enterPictureInPictureMode, enterPictureInPictureMode, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMaxNumPictureInPictureActions, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isActivityTransitionRunning, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive,

isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onGetDirectActions, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped, onMultiWindowModeChanged, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPerformDirectAction, onPictureInPictureModeChanged, onPictureInPictureRequested, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistContent, onProvideAssistData, onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTopResumedActivityChanged, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowFocusChanged, onWindowStartingActionMode, onWindowStartingActionMode, openContextMenu, overridePendingTransition, postponeEnterTransition, recreate, registerActivityLifecycleCallbacks, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts, requestVisibleBehind, requestWindowFeature, requireViewById, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setInheritShowWhenLocked, setIntent, setLocusContext, setMediaController, setPictureInPictureParams, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setShowWhenLocked, setTaskDescription, setTitle, setTitle, setTitleColor, setTranslucent, setTurnScreenOn, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderFromChild, startIntentSenderFromChild, startLocalVoiceInteraction, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity, startPostponedEnterTransition, startSearch, stopLocalVoiceInteraction, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterActivityLifecycleCallbacks, unregisterForContextMenu

Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, getAssets, getTheme, setTheme

Methods inherited from class android.content.ContextWrapper

bindIsolatedService, bindService, bindService, bindServiceAsUser, checkCallingOrSelfPermission, checkCallingOrSelfPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper, createAttributionContext, createConfigurationContext, createContextForSplit, createDeviceProtectedStorageContext, createDisplayContext, createPackageContext, createWindowContext, databaseList, deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getAttributionTag, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDataDir, getDir, getDisplay, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFilePath, getMainExecutor, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getOpPackageName, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom, moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, registerReceiver, registerReceiver, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startForegroundService, startInstrumentation, startService, stopService, unbindService, unregisterReceiver, updateServiceGroup

Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, sendBroadcastWithMultiplePermissions, unregisterComponentCallbacks

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface android.view.Window.Callback

onPointerCaptureChanged

Constructor Detail

parametre

```
public parametre()
```

Method Detail

onCreate

```
protected void onCreate(android.os.Bundle savedInstanceState)
```

Overrides:

onCreate in class androidx.appcompat.app.AppCompatActivity

clique_retour

```
public void clique_retour(android.view.View view)
```

[PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

SUMMARY: [NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

[PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

fr.be2.monapplication

Class SQLHelper

java.lang.Object
 android.database.sqlite.SQLiteOpenHelper
 fr.be2.monapplication.SQLHelper

All Implemented Interfaces:

java.lang.AutoCloseable

public class **SQLHelper**
extends android.database.sqlite.SQLiteOpenHelper

Field Summary

Fields	
Modifier and Type	Field and Description
private static java.lang.String	CREATE_TABLE
private static java.lang.String	CREATE_TABLE1
private android.database.sqlite.SQLiteDatabase	db
private static java.lang.String	DB_NAME
private static java.lang.String	DB_TABLE
private static java.lang.String	DB_TABLE1
private SQLHelper	dbHelper
static java.lang.String	KEY_DATEDFRAIS
static java.lang.String	KEY_DATEDESAISIT
static java.lang.String	KEY_ID
static java.lang.String	KEY_ID2
static java.lang.String	KEY_LIBELLE
static java.lang.String	KEY_MONTANT
static java.lang.String	KEY_QUANTITE
static java.lang.String	KEY_TYPEDEFRAIS
private static java.lang.String	TAG

Constructor Summary

Constructors

Constructor and Description

[SQLHelper](#)(android.content.Context context)

Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type	Method and Description
boolean	deleteData (java.lang.Integer ID)
android.database.Cursor	fetchAllFrais ()
boolean	insertData (java.lang.String typefrais, java.lang.String libelle, java.lang.Integer quantite, java.lang.Double montant, java.lang.String date)
void	onCreate (android.database.sqlite.SQLiteDatabase sqLiteDatabase)
void	onUpgrade (android.database.sqlite.SQLiteDatabase sqLiteDatabase, int i, int i1)
SQLHelper	open ()
android.database.Cursor	viewData ()

Methods inherited from class android.database.sqlite.SQLiteOpenHelper

close, getDatabaseName, getReadableDatabase, getWritableDatabase, onConfigure, onDowngrade, onOpen, setIdleConnectionTimeout, setLookasideConfig, setOpenParams, setWriteAheadLoggingEnabled

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Field Detail

DB_NAME

private static final java.lang.String DB_NAME

See Also:

[Constant Field Values](#)

DB_TABLE

private static final java.lang.String DB_TABLE

See Also:

Constant Field Values

KEY_ID

```
public static final java.lang.String KEY_ID
```

See Also:

[Constant Field Values](#)

KEY_LIBELLE

```
public static final java.lang.String KEY_LIBELLE
```

See Also:

[Constant Field Values](#)

KEY_MONTANT

```
public static final java.lang.String KEY_MONTANT
```

See Also:

[Constant Field Values](#)

KEY_DATEDESAISIT

```
public static final java.lang.String KEY_DATEDESAISIT
```

See Also:

[Constant Field Values](#)

KEY_DATEDEFRAIS

```
public static final java.lang.String KEY_DATEDEFRAIS
```

See Also:

[Constant Field Values](#)

KEY_QUANTITE

```
public static final java.lang.String KEY_QUANTITE
```

See Also:

[Constant Field Values](#)

KEY_TPEDEFRAIS

```
public static final java.lang.String KEY_TPEDEFRAIS
```

See Also:

[Constant Field Values](#)

DB_TABLE1

```
private static final java.lang.String DB_TABLE1
```

See Also:

[Constant Field Values](#)

KEY_ID2

```
public static final java.lang.String KEY_ID2
```

See Also:

[Constant Field Values](#)

TAG

```
private static final java.lang.String TAG
```

See Also:

[Constant Field Values](#)

dbHelper

```
private SQLHelper dbHelper
```

db

```
private android.database.sqlite.SQLiteDatabase db
```

CREATE_TABLE

```
private static final java.lang.String CREATE_TABLE
```

See Also:

[Constant Field Values](#)

CREATE_TABLE1

```
private static final java.lang.String CREATE_TABLE1
```

See Also:

[Constant Field Values](#)

Constructor Detail

SQLHelper

```
public SQLHelper(android.content.Context context)
```

Method Detail

open

```
public SQLHelper open()  
    throws android.database.SQLException
```

Throws:

android.database.SQLException

onCreate

```
public void onCreate(android.database.sqlite.SQLiteDatabase sqLiteDatabase)
```

Specified by:

onCreate in class android.database.sqlite.SQLiteOpenHelper

onUpgrade

```
public void onUpgrade(android.database.sqlite.SQLiteDatabase sqLiteDatabase,  
    int i,  
    int i1)
```

Specified by:

onUpgrade in class android.database.sqlite.SQLiteOpenHelper

insertData

```
public boolean insertData(java.lang.String typefrais,  
    java.lang.String libelle,  
    java.lang.Integer quantite,  
    java.lang.Double montant,  
    java.lang.String date)
```

fetchAllFrais

```
public android.database.Cursor fetchAllFrais()
```

viewData

```
public android.database.Cursor viewData()
```

deleteData

```
public boolean deleteData(java.lang.Integer ID)
```

[PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

fr.be2.monapplication

Class synthesedumois

java.lang.Object
 android.content.Context
 android.content.ContextWrapper
 android.view.ContextThemeWrapper
 android.app.Activity
 androidx.core.app.ComponentActivity
 androidx.fragment.app.FragmentActivity
 androidx.appcompat.app.AppCompatActivity
 fr.be2.monapplication.synthesedumois

All Implemented Interfaces:

android.content.ComponentCallbacks, android.content.ComponentCallbacks2,
android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory,
android.view.LayoutInflater.Factory2, android.view.View.OnCreateContextMenuListener,
android.view.Window.Callback,
androidx.appcompat.app.ActionBarDrawerToggle.DelegateProvider,
androidx.appcompat.app.AppCompatActivityCallback,
androidx.core.app.ActivityCompat.OnRequestPermissionsResultCallback,
androidx.core.app.ActivityCompat.RequestPermissionsRequestCodeValidator,
androidx.core.app.TaskStackBuilder.SupportParentable,
androidx.core.view.KeyEventDispatcher.Component, androidx.lifecycle.LifecycleOwner,
androidx.lifecycle.ViewModelStoreOwner

```
public class synthesedumois
extends androidx.appcompat.app.AppCompatActivity
```

Nested Class Summary

Nested classes/interfaces inherited from class androidx.core.app.ComponentActivity

androidx.core.app.ComponentActivity.ExtraData

Field Summary

Fields

Modifier and Type	Field and Description
private android.widget.SimpleCursorAdapter	dataAdapter
private SQLHelper	dbHelper

Fields inherited from class android.app.Activity

DEFAULT_KEYS_DIALER, DEFAULT_KEYS_DISABLE, DEFAULT_KEYS_SEARCH_GLOBAL, DEFAULT_KEYS_SEARCH_LOCAL, DEFAULT_KEYS_SHORTCUT, FOCUSED_STATE_SET, RESULT_CANCELED, RESULT_FIRST_USER, RESULT_OK

Fields inherited from class android.content.Context

ACCESSIBILITY_SERVICE, ACCOUNT_SERVICE, ACTIVITY_SERVICE, ALARM_SERVICE, APP_OPS_SERVICE, APPWIDGET_SERVICE, AUDIO_SERVICE, BATTERY_SERVICE, BIND_ABOVE_CLIENT, BIND_ADJUST_WITH_ACTIVITY, BIND_ALLOW_OOM_MANAGEMENT, BIND_AUTO_CREATE, BIND_DEBUG_UNBIND, BIND_EXTERNAL_SERVICE, BIND_IMPORTANT, BIND_INCLUDE_CAPABILITIES, BIND_NOT_FOREGROUND, BIND_NOT_PERCEPTIBLE, BIND_WAIVE_PRIORITY, BIOMETRIC_SERVICE, BLOB_STORE_SERVICE, BLUETOOTH_SERVICE, CAMERA_SERVICE, CAPTIONING_SERVICE, CARRIER_CONFIG_SERVICE, CLIPBOARD_SERVICE, COMPANION_DEVICE_SERVICE, CONNECTIVITY_DIAGNOSTICS_SERVICE, CONNECTIVITY_SERVICE, CONSUMER_IR_SERVICE, CONTEXT_IGNORE_SECURITY, CONTEXT_INCLUDE_CODE, CONTEXT_RESTRICTED, CROSS_PROFILE_APPS_SERVICE, DEVICE_POLICY_SERVICE, DISPLAY_SERVICE, DOWNLOAD_SERVICE, DROPBOX_SERVICE, EUICC_SERVICE, FILE_INTEGRITY_SERVICE, FINGERPRINT_SERVICE, HARDWARE_PROPERTIES_SERVICE, INPUT_METHOD_SERVICE, INPUT_SERVICE, IPSEC_SERVICE, JOB_SCHEDULER_SERVICE, KEYGUARD_SERVICE, LAUNCHER_APPS_SERVICE, LAYOUT_INFLATER_SERVICE, LOCATION_SERVICE, MEDIA_PROJECTION_SERVICE, MEDIA_ROUTER_SERVICE, MEDIA_SESSION_SERVICE, MIDI_SERVICE, MODE_APPEND, MODE_ENABLE_WRITE_AHEAD_LOGGING, MODE_MULTI_PROCESS, MODE_NO_LOCALIZED_COLLATORS, MODE_PRIVATE, MODE_WORLD_READABLE, MODE_WORLD_WRITEABLE, NETWORK_STATS_SERVICE, NFC_SERVICE, NOTIFICATION_SERVICE, NSD_SERVICE, POWER_SERVICE, PRINT_SERVICE, RECEIVER_VISIBLE_TO_INSTANT_APPS, RESTRICTIONS_SERVICE, ROLE_SERVICE, SEARCH_SERVICE, SENSOR_SERVICE, SHORTCUT_SERVICE, STORAGE_SERVICE, STORAGE_STATS_SERVICE, SYSTEM_HEALTH_SERVICE, TELECOM_SERVICE, TELEPHONY_IMS_SERVICE, TELEPHONY_SERVICE, TELEPHONY_SUBSCRIPTION_SERVICE, TEXT_CLASSIFICATION_SERVICE, TEXT_SERVICES_MANAGER_SERVICE, TV_INPUT_SERVICE, UI_MODE_SERVICE, USAGE_STATS_SERVICE, USB_SERVICE, USER_SERVICE, VIBRATOR_SERVICE, VPN_MANAGEMENT_SERVICE, WALLPAPER_SERVICE, WIFI_AWARE_SERVICE, WIFI_P2P_SERVICE, WIFI_RTT_RANGING_SERVICE, WIFI_SERVICE, WINDOW_SERVICE

Fields inherited from interface android.content.ComponentCallbacks2

TRIM_MEMORY_BACKGROUND, TRIM_MEMORY_COMPLETE, TRIM_MEMORY_MODERATE, TRIM_MEMORY_RUNNING_CRITICAL, TRIM_MEMORY_RUNNING_LOW, TRIM_MEMORY_RUNNING_MODERATE, TRIM_MEMORY_UI_HIDDEN

Constructor Summary

Constructors

Constructor and Description

[synthesedumois\(\)](#)

Method Summary

All Methods **Instance Methods** **Concrete Methods**

Modifier and Type	Method and Description
void	clique_btn6 (android.view.View view)
private void	displayListView ()
void	doDeleteOnClick (android.view.View v)
protected void	onCreate (android.os.Bundle savedInstanceState)

Methods inherited from class androidx.appcompat.app.AppCompatActivity

addContentView, closeOptionsMenu, dispatchKeyEvent, findViewById, getDelegate, getDrawerToggleDelegate, getMenuInflater, getResources, getSupportActionBar, getSupportParentActivityIntent, invalidateOptionsMenu, onConfigurationChanged, onContentChanged, onCreateSupportNavigateUpTaskStack, onDestroy, onKeyDown, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostCreate, onPostResume, onPrepareSupportNavigateUpTaskStack, onSaveInstanceState, onStart, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, onWindowStartingSupportActionMode, openOptionsMenu, setContentView, setContentView, setContentView, setSupportActionBar, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, setTheme, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

Methods inherited from class androidx.fragment.app.FragmentActivity

dump, getLastCustomNonConfigurationInstance, getLifecycle, getSupportFragmentManager, getSupportLoaderManager, getViewModelStore, onActivityResult, onAttachFragment, onBackPressed, onCreatePanelMenu, onCreateView, onCreateView, onLowMemory, onMultiWindowModeChanged, onNewIntent, onPause, onPictureInPictureModeChanged, onPrepareOptionsPanel, onPreparePanel, onRequestPermissionsResult, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback, setExitSharedElementCallback, startActivityForResult, startActivityForResult, startActivityFromFragment, startActivityFromFragment, startIntentSenderForResult, startIntentSenderForResult, startIntentSenderFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition, validateRequestPermissionsRequestCode

Methods inherited from class androidx.core.app.ComponentActivity

dispatchKeyShortcutEvent, getExtraData, putExtraData, superDispatchKeyEvent

Methods inherited from class android.app.Activity

attachBaseContext, closeContextMenu, createPendingResult, dismissDialog, dismissKeyboardShortcutsHelper, dispatchGenericMotionEvent, dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent,

enterPictureInPictureMode, enterPictureInPictureMode, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMaxNumPictureInPictureActions, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isActivityTransitionRunning, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onGetDirectActions, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped, onMultiWindowModeChanged, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPerformDirectAction, onPictureInPictureModeChanged, onPictureInPictureRequested, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistContent, onProvideAssistData, onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTopResumedActivityChanged, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowFocusChanged, onWindowStartingActionMode, onWindowStartingActionMode, openContextMenu, overridePendingTransition, postponeEnterTransition, recreate, registerActivityLifecycleCallbacks, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts, requestVisibleBehind, requestWindowFeature, requireViewById, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setInheritShowWhenLocked, setIntent, setLocusContext, setMediaController, setPictureInPictureParams, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setShowWhenLocked, setTaskDescription, setTitle, setTitle, setTitleColor, setTranslucent, setTurnScreenOn, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderFromChild, startIntentSenderFromChild, startLocalVoiceInteraction, startLockTask, startManagingCursor,

startNextMatchingActivity, startNextMatchingActivity,
startPostponedEnterTransition, startSearch, stopLocalVoiceInteraction,
stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch,
unregisterActivityLifecycleCallbacks, unregisterForContextMenu

Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, getAssets, getTheme, setTheme

Methods inherited from class android.content.ContextWrapper

bindIsolatedService, bindService, bindService, bindServiceAsUser,
checkCallingOrSelfPermission, checkCallingOrSelfPermission,
checkCallingPermission, checkCallingUriPermission, checkPermission,
checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper,
createAttributionContext, createConfigurationContext, createContextForSplit,
createDeviceProtectedStorageContext, createDisplayContext, createPackageContext,
createWindowContext, databaseList, deleteDatabase, deleteFile,
deleteSharedPreferences, enforceCallingOrSelfPermission,
enforceCallingOrSelfPermission, enforceCallingPermission,
enforceCallingUriPermission, enforcePermission, enforceUriPermission,
enforceUriPermission, fileList, getApplicationContext, getApplicationInfo,
getAttributionTag, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir,
getContentResolver, getDatabasePath, getDataDir, getDir, getDisplay,
getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir,
getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFilePath,
getMainExecutor, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs,
getOpPackageName, getPackageCodePath, getPackageManager, getPackageName,
getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper,
getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth,
grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom,
moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase,
openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver,
registerReceiver, registerReceiver, removeStickyBroadcast,
removeStickyBroadcastAsUser, revokeUriPermission, revokeUriPermission,
sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser,
sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast,
sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast,
sendStickyBroadcastAsUser, sendStickyOrderedBroadcast,
sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper,
startForegroundService, startInstrumentation, startService, stopService,
unbindService, unregisterReceiver, updateServiceGroup

Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService,
getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes,
obtainStyledAttributes, registerComponentCallbacks,
sendBroadcastWithMultiplePermissions, unregisterComponentCallbacks

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface android.view.Window.Callback

onPointerCaptureChanged

Field Detail

dbHelper

```
private SQLHelper dbHelper
```

dataAdapter

```
private android.widget.SimpleCursorAdapter dataAdapter
```

Constructor Detail

synthesedumois

```
public synthesedumois()
```

Method Detail

onCreate

```
protected void onCreate(android.os.Bundle savedInstanceState)
```

Overrides:

onCreate in class androidx.appcompat.app.AppCompatActivity

displayListView

```
private void displayListView()
```

doDeleteOnClick

```
public void doDeleteOnClick(android.view.View v)
```


clique_btn6

```
public void clique_btn6(android.view.View view)
```

[PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

SUMMARY: [NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)